

# The Duffel Bag Project

www.yoansewingstudio.com

www.youtube.com/yoansewingstudio



## Finished bag measurements

Approx. 18 1/2" (47 cm) wide x 8 1/2 (21.6 cm) tall x 9" (23 cm) wide

## Abbreviation

FWI : Fusible woven interfacing

FF : Fusible Fleece

FS : Foam Stabilizer

## Seam Allowance

The seam allowances are vary throughout this project, please pay attention to the video instructions.

## Supplies

Main Fabric : 1 1/3 yard\*

Lining Fabric : 1 1/6 yard\*

*\*based on standard 44" wide cotton quilting fabric; you may also use canvas, denim, or home decor weight fabric*

Clear Vinyl Fabric (I used gauge 8) 1/4 yard <https://amzn.to/2TGTi4s>

1 purse zipper 1 1/4" (3.2 cm) wide, at least 21" (53.3 cm) long <https://amzn.to/3eckOQu>

3 all purpose zipper 1" (2.5 cm) wide at least 9" (23 cm) long <https://amzn.to/3kKckCR>

FWI : 5/6 yard (20" wide) <https://amzn.to/3kOBMXU>

FF (I used Pellon Thermolam) : 5/6 yard <https://amzn.to/2HV5w6U>

FS : 1/3 yard (I used bosal double sided fusible) <https://amzn.to/31ZOzPI>

Double Fold bias tape 3 1/2 yard

1" (2.5 cm) wide webbing strap 60" (152 cm) long

(2) 1" (2.5 cm) d-rings

(2) 1" (2.5 cm) swivel hooks <https://amzn.to/2TK67KY>

1" (2.5 cm) adjustable strap slider

Basting tape

Additional tools mentioned in tutorial

Hera Marker

Walking Foot

### Note :

To ensure accuracy,  
please print this PDF  
From Adobe Reader  
free download at  
<https://get2.adobe.com/reader/>

Watch the video tutorial here :

<https://bit.ly/2TINkQt>

*Disclaimer : Some of the links above are affiliate links, I earn a small percentage of commission when you make a purchase of qualifying items through any of those links with no additional cost. Thank you for your support.*

## Cutting Instructions

### Front and back panels

20" x 13 1/2" (50.8 x 35 cm) cut 2x from the main fabric, 2x from the lining fabric

19" x 12 1/2" (48.3 x 33 cm) cut 2x from the FF

### Front Exterior Zipper Pocket

Panel 1 : cut 1x from the main fabric : 8" x 1 1/2" (20.3 x 3.8cm)  
cut 1x from the FWI : 7" x 1 1/2" (17.8 x 3.8 cm)

Panel 2 : cut 1x from the main fabric : 8" x 6" (20.3 x 15.2 cm)  
cut 1x from the FWI : 7" x 6" (17.8 x 15.2)

Panel 3 : cut 1x from the lining fabric 8" x 6" (20.3 x 15.2cm)

Panel 4 : cut 1x from the lining fabric 8" x 7 1/2" (20.3 x 19cm)

Panel 5 : cut 1x from the main fabric 8" x 7 1/2" (20.3 x 19cm)

### Side Panels

Cut from the template : 2x Main fabric, 2x lining fabric, 2x foam stabilizer

### Side Pocket Panels

Cut from the template : 2x Main fabric, 2x lining fabric, 2x FWI

Note : print and cut the template on page 3

### Side (inner) Zipper Pocket Panel

Cut 1x from main fabric : 8" x 10" (20.3 x 25.4 cm)

Cut 1x from the FWI : 7" x 3" (17.8 x 7.6 cm)

### Bottom Panel

Cut 1x from main fabric, and 1x from lining fabric : 20" x 11" (50.8 x 28 cm)

Cut 1x from FS : 19" x 10" (48.3 x 25.4 cm)

### Handles (Front & Back)

Cut 2x from main fabric : 42" x 4" (106.7 x 10.2 cm)

Cut 2x from FWI : 41" x 2" (104 x 5.1 cm)

Note: Cut few shorter pieces of FWI then fuse them next to each other instead of one long piece

### D-ring tabs

Cut 1x from the main fabric : 5" x 4" (12.7 x 10.2 cm)

### Zipper Tabs (for the zipper closure)

Cut 2x from the main fabric : 2 1/2" x 2" (6.4 x 5.1 cm)

### Interior slip pockets

Cut 1x from the vinyl fabric : 20" x 7 1/2" (50.8 x 19 cm)

Cut 1x from lining fabric 20" x 3"

### Interior Zipper Pocket

Cut 1x from the lining fabric : 10" x 13" (25.4 x 33 cm)

Cut 2x from FWI : 9" x 3" (23 x 7.6 cm)

### Adjustable Strap

Cut 60" (152 cm) from the webbing strap

### Strap Cushion

Cut 2x from main fabric and cut 1x from FS : 8 1/2" x 2 3/4" (21.6 x 7 cm)

Cut 2x from main fabric and cut 1x from FWI : 6" x 2 3/4" (15.2 x 7cm)

### **Please watch the full video instructions on Youtube**

Part 1 : Bag exterior, side panels, handles <https://youtu.be/4CmNKLf-jLc>


Part 2 : Bag interior, assembly <https://youtu.be/BrmZqRTNmdg>

Part 3 : Strap Cushion <https://youtu.be/aTDcaxyPspY>

1 inch

2 cm

Note :  
To ensure accuracy,  
please print this PDF  
From Adobe Reader  
free download at  
<https://get2.adobe.com/reader/>



pocket cutting line

Side Pocket  
(trim from the cutting line)  
Cut on fold  
2x main fabric  
2x Fusible woven interfacing  
2x lining fabric

Fold

**Side Panel**  
cut on fold  
2x main fabric  
2x lining fabric

Foam stabilizer cut 2x on fold

www.yoansewingstudio.com  
©Copyright 2020 Yoan Sewing Studio